

# TRANSFIELD SERVICES

Lane Cove Tunnel & Falcon Street Gateway

Monthly Air Quality Report

DOCUMENT No: TMF-2035-EV-0017



## IN TUNNEL AIR QUALITY MONITORING VALIDATED DATA FOR NOVEMBER 2008

FOR THE

LANE COVE TUNNEL



&

FALCON STREET GATEWAY



**CONTROLLED COPY NO.:**

Issue Date:

Issued By:

[Uncontrolled unless numbered and dated (in red)]

**Approved by:**

**Name:** Brennan Daly

**Position:** Motorway Manager

**Knowledge Mgrs:** Daniel Hurrell

© Transfield Services (Australia) Pty Ltd 2006

This document is the property of Transfield Services (Australia) Pty Ltd (ABN 11 093 114 553). This document must not be copied or reproduced in any way whatsoever, and must not be passed on to any third party without the written authority from Transfield Services (Australia) Pty Ltd

Date: November, 2008

Revision: 0  
Page 1 of 22

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

### 1. INTRODUCTION

Transfield Services (Australia) Pty Ltd are contracted by Connector Motorways to undertake the day to day operation and maintenance of the Tunnel. As a core part of this contract, Transfield are responsible for the maintenance of the air quality monitoring system inside the tunnel which ensure that the carbon monoxide (CO) levels inside the Tunnel are always kept to within acceptable levels and limits stipulated by the Department of Planning. Continual measurements of CO inside the tunnel are recorded, validated and reported publicly by Transfield on a monthly basis.

This report presents the results of these measurements for the period 00:00 hrs on 1 November 2008 to midnight on 30 November 2008 using data that has been subjected to a validation process.

### 2. SUMMMARY

#### 2.1. Compliance with Limits

During the period 1 November 2008 to 30 November 2008, CO levels inside the tunnel were within the limit stipulated by the Department of Planning. The results are presented in full in section 5 of this report.

#### 2.2. Data Availability

The percentage of time the instruments were on-line was 87%. The data capture was below 100% mainly due to 1 instrument (out of 28) which was offline for the entire period, and another which was periodically offline due to operational issues.

During the month, all instruments were taken offline for a short period over 2 nights for scheduled tunnel wall washing activity.

However, this is unlikely to have had any impact on the overall reported results.

### 3. DEFINITIONS & ABBREVIATIONS

| Term    | Definition  |
|---------|---|
| AM-6    | A method standard recommended by the NSW EPA (DECC) for the sampling and analysis of carbon monoxide in ambient air. The method conforms to AS 3580.7.1 1992. |
| CO      | carbon monoxide – a toxic gas present in motor vehicle exhausts   |
| NSW EPA | New South Wales Environment Protection Authority, now incorporated into the Department of Environment Conservation and Climate Change                         |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

### 4. EXPLANATION OF MONITORING

#### 4.1. Method of Analysis

Carbon monoxide (CO) levels are measured inside the tunnel using a network of 28 separate CO monitors attached to the walls of both eastbound and westbound tunnels. The monitors measure CO using an analytical method known as non-dispersive infra red absorption with gas filter correlation. Basically this involves projecting an infra-red beam across a 3 metre section of the tunnel and measuring the amount of infra-red light absorbed by CO molecules in the path of the beam. The quantity of infra-red light absorbed is proportional to the concentration of CO in the path of the beam. The monitors used were specially designed for use in road tunnels where access for routine essential maintenance is restricted by the need to minimise traffic disruption. Similar monitors are widely used in other road tunnels in Australia and worldwide.

This method of analysis is similar to the standard method AM-6 outlined in "NSW EPA 2001, Approved Methods for Sampling and Analysis of Pollutants in New South Wales." However the method differs from the standard principally by the use of the open beam type instrument as described above in place of a closed analytical cell and sample delivery pump arrangement as typically used in ambient air monitoring stations. This deviation from the standard method has been approved by the Department of Planning on the advice of an independent consultant with specialist expertise in the field of air quality monitoring.

The number and locations of the CO monitors has been selected using computer generated modelling to provide a representative profile of CO levels inside the tunnel.

#### 4.2. Presentation of Measurement Results

The monitors provide continual measurements of CO at the point location in the tunnel where they are installed. These measurements are termed **single point concentrations**.

The monitoring system has also been configured using continuous measurements of traffic flow from speed sensors in the tunnel to calculate the exposure to CO of a theoretical motorist travelling through the tunnel every minute using every possible entry/exit portal combination. These measurements are termed **exposure concentrations**.

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

### 4.3. Limits

The Department of Planning have stipulated Limits which air quality inside the tunnel must meet. These limits relate to the maximum concentration of carbon monoxide (CO) in air inside the tunnel and are presented in table 1 below:

**Table 1: Department of Planning stipulated limits for CO inside tunnel**

| Single Point Concentration Limit<br>(as 3 Minute Rolling Average) | Exposure Concentration Limit<br>(as 15 Minute Rolling Average) | Exposure Concentration Limit<br>(as 30 Minute Rolling Average) |
|---|--|--|
| 200 ppm CO  | 87 ppm CO  | 50 ppm CO  |

### 4.4. Calibration and Maintenance

All instruments were calibrated following installation and will continue to be routinely calibrated on a schedule not exceeding 12 months between re-calibrations. The sensors are maintained according to a schedule recommended by the manufacturer. To minimise traffic disruption to motorists and provide a safe working environment for instrument technicians, maintenance and calibration is usually only performed during scheduled night time maintenance closures of the tunnel.

### 4.5. Data Validation

The monitoring data is subjected to a validation procedure prior to reporting where it is inspected to ensure that it is representative of CO levels experienced inside the tunnel at the time of measurement.

## 5. Results

The results of the monitoring are tabulated in table 2 and plotted in figure 1.

The figures presented are the maximum values recorded for all sections of the tunnel for each hourly period starting from the times tabulated.

### 5.1. Factors Affecting Results

Nil

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

**Table 2: Results of In Tunnel Air Quality Monitoring from 1 November to 30 November 2008**

|          |        | Max Single Point CO<br>Concentration<br>(3 Minute Rolling<br>Average) ppm | Max CO Exposure<br>Concentration<br>(15 Minute Rolling Average)<br>ppm | Max CO Exposure<br>Concentration<br>(30 Minute Rolling Average)<br>ppm |
|----------|--------|---|--|--|
|          |        | Limits  |  |  |
| Date     | Time   | 200   | 87   | 50   |
| 1-Nov-08 | +00:00 | 7.3   | 0.4  | 0.2  |
| 1-Nov-08 | +01:00 | 6.4   | 0.3  | 0.2  |
| 1-Nov-08 | +02:00 | 5.3   | 0.3  | 0.2  |
| 1-Nov-08 | +03:00 | 4.3   | 0.3  | 0.1  |
| 1-Nov-08 | +04:00 | 4.2   | 0.3  | 0.2  |
| 1-Nov-08 | +05:00 | 3.4   | 0.3  | 0.2  |
| 1-Nov-08 | +06:00 | 7.0   | 0.6  | 0.3  |
| 1-Nov-08 | +07:00 | 7.0   | 0.7  | 0.3  |
| 1-Nov-08 | +08:00 | 6.5   | 0.5  | 0.2  |
| 1-Nov-08 | +09:00 | 5.4   | 0.5  | 0.3  |
| 1-Nov-08 | +10:00 | 5.1   | 0.5  | 0.2  |
| 1-Nov-08 | +11:00 | 7.0   | 0.4  | 0.2  |
| 1-Nov-08 | +12:00 | 6.1   | 0.4  | 0.2  |
| 1-Nov-08 | +13:00 | 6.1   | 0.8  | 0.4  |
| 1-Nov-08 | +14:00 | 6.3   | 0.7  | 0.3  |
| 1-Nov-08 | +15:00 | 7.3   | 0.7  | 0.3  |
| 1-Nov-08 | +16:00 | 5.0   | 0.7  | 0.4  |
| 1-Nov-08 | +17:00 | 5.1   | 0.6  | 0.3  |
| 1-Nov-08 | +18:00 | 5.1   | 1.5  | 1.1  |
| 1-Nov-08 | +19:00 | 6.9   | 1.3  | 0.6  |
| 1-Nov-08 | +20:00 | 3.0   | 1.2  | 0.8  |
| 1-Nov-08 | +21:00 | 3.6   | 0.4  | 0.2  |
| 1-Nov-08 | +22:00 | 4.3   | 0.5  | 0.2  |
| 1-Nov-08 | +23:00 | 3.9   | 0.4  | 0.2  |
| 2-Nov-08 | +00:00 | 3.0   | 0.3  | 0.2  |
| 2-Nov-08 | +01:00 | 2.2   | 0.2  | 0.1  |
| 2-Nov-08 | +02:00 | 3.1   | 0.3  | 0.2  |
| 2-Nov-08 | +03:00 | 1.5   | 0.2  | 0.1  |
| 2-Nov-08 | +04:00 | 3.8   | 0.4  | 0.2  |
| 2-Nov-08 | +05:00 | 3.3   | 0.4  | 0.2  |
| 2-Nov-08 | +06:00 | 4.1   | 0.5  | 0.2  |
| 2-Nov-08 | +07:00 | 4.1   | 0.3  | 0.1  |
| 2-Nov-08 | +08:00 | 4.1   | 0.4  | 0.2  |
| 2-Nov-08 | +09:00 | 5.2   | 0.5  | 0.3  |
| 2-Nov-08 | +10:00 | 5.1   | 0.6  | 0.3  |
| 2-Nov-08 | +11:00 | 5.0   | 0.9  | 0.7  |
| 2-Nov-08 | +12:00 | 5.6   | 0.7  | 0.3  |
| 2-Nov-08 | +13:00 | 4.7   | 0.5  | 0.3  |
| 2-Nov-08 | +14:00 | 4.0   | 1.4  | 1.2  |
| 2-Nov-08 | +15:00 | 3.4   | 1.8  | 1.3  |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|          |        |      |     |     |
|----------|--------|------|-----|-----|
| 2-Nov-08 | +16:00 | 4.5  | 0.4 | 0.2 |
| 2-Nov-08 | +17:00 | 4.3  | 0.4 | 0.2 |
| 2-Nov-08 | +18:00 | 4.2  | 0.4 | 0.2 |
| 2-Nov-08 | +19:00 | 3.9  | 0.5 | 0.2 |
| 2-Nov-08 | +20:00 | 4.0  | 0.6 | 0.3 |
| 2-Nov-08 | +21:00 | 3.6  | 0.4 | 0.2 |
| 2-Nov-08 | +22:00 | 3.3  | 0.4 | 0.2 |
| 2-Nov-08 | +23:00 | 4.1  | 0.2 | 0.1 |
| 3-Nov-08 | +00:00 | 5.6  | 0.2 | 0.1 |
| 3-Nov-08 | +01:00 | 1.2  | 0.1 | 0.1 |
| 3-Nov-08 | +02:00 | 1.0  | 0.2 | 0.2 |
| 3-Nov-08 | +03:00 | 1.2  | 0.2 | 0.1 |
| 3-Nov-08 | +04:00 | 3.4  | 0.4 | 0.2 |
| 3-Nov-08 | +05:00 | 8.1  | 0.8 | 0.4 |
| 3-Nov-08 | +06:00 | 27.5 | 2.1 | 1.0 |
| 3-Nov-08 | +07:00 | 26.4 | 1.7 | 0.8 |
| 3-Nov-08 | +08:00 | 18.0 | 0.8 | 0.4 |
| 3-Nov-08 | +09:00 | 13.5 | 0.7 | 0.4 |
| 3-Nov-08 | +10:00 | 12.4 | 1.1 | 0.6 |
| 3-Nov-08 | +11:00 | 10.0 | 1.1 | 0.5 |
| 3-Nov-08 | +12:00 | 10.1 | 1.0 | 0.5 |
| 3-Nov-08 | +13:00 | 12.3 | 1.4 | 0.7 |
| 3-Nov-08 | +14:00 | 19.5 | 0.6 | 0.3 |
| 3-Nov-08 | +15:00 | 21.5 | 0.9 | 0.5 |
| 3-Nov-08 | +16:00 | 18.0 | 0.9 | 0.4 |
| 3-Nov-08 | +17:00 | 22.3 | 0.6 | 0.3 |
| 3-Nov-08 | +18:00 | 23.1 | 0.5 | 0.2 |
| 3-Nov-08 | +19:00 | 7.3  | 0.6 | 0.3 |
| 3-Nov-08 | +20:00 | 6.4  | 0.4 | 0.2 |
| 3-Nov-08 | +21:00 | 6.4  | 0.4 | 0.2 |
| 3-Nov-08 | +22:00 | 6.4  | 0.4 | 0.2 |
| 3-Nov-08 | +23:00 | 5.3  | 1.1 | 0.9 |
| 4-Nov-08 | +00:00 | 4.3  | 0.7 | 0.5 |
| 4-Nov-08 | +01:00 | 3.4  | 0.3 | 0.3 |
| 4-Nov-08 | +02:00 | 3.4  | 0.6 | 0.3 |
| 4-Nov-08 | +03:00 | 2.4  | 0.8 | 0.8 |
| 4-Nov-08 | +04:00 | 3.7  | 0.4 | 0.2 |
| 4-Nov-08 | +05:00 | 11.2 | 1.1 | 0.6 |
| 4-Nov-08 | +06:00 | 17.8 | 1.4 | 0.7 |
| 4-Nov-08 | +07:00 | 13.7 | 1.1 | 0.5 |
| 4-Nov-08 | +08:00 | 18.0 | 0.8 | 0.4 |
| 4-Nov-08 | +09:00 | 18.6 | 0.8 | 0.4 |
| 4-Nov-08 | +10:00 | 9.8  | 0.7 | 0.3 |
| 4-Nov-08 | +11:00 | 11.8 | 0.6 | 0.3 |
| 4-Nov-08 | +12:00 | 10.1 | 0.7 | 0.3 |
| 4-Nov-08 | +13:00 | 12.5 | 0.7 | 0.3 |
| 4-Nov-08 | +14:00 | 15.5 | 0.6 | 0.3 |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|          |        |      |     |     |
|----------|--------|------|-----|-----|
| 4-Nov-08 | +15:00 | 16.9 | 0.7 | 0.4 |
| 4-Nov-08 | +16:00 | 15.7 | 0.7 | 0.4 |
| 4-Nov-08 | +17:00 | 19.5 | 0.7 | 0.3 |
| 4-Nov-08 | +18:00 | 21.1 | 0.6 | 0.3 |
| 4-Nov-08 | +19:00 | 4.1  | 0.4 | 0.2 |
| 4-Nov-08 | +20:00 | 6.2  | 0.5 | 0.3 |
| 4-Nov-08 | +21:00 | 3.2  | 0.4 | 0.2 |
| 4-Nov-08 | +22:00 | 3.1  | 0.8 | 0.6 |
| 4-Nov-08 | +23:00 | 2.2  | 0.9 | 0.6 |
| 5-Nov-08 | +00:00 | 2.3  | 0.3 | 0.4 |
| 5-Nov-08 | +01:00 | 2.2  | 0.8 | 0.5 |
| 5-Nov-08 | +02:00 | 1.4  | 0.8 | 0.7 |
| 5-Nov-08 | +03:00 | 1.2  | 0.6 | 0.4 |
| 5-Nov-08 | +04:00 | 2.5  | 0.5 | 0.3 |
| 5-Nov-08 | +05:00 | 9.1  | 0.9 | 0.4 |
| 5-Nov-08 | +06:00 | 26.9 | 2.0 | 1.0 |
| 5-Nov-08 | +07:00 | 29.8 | 1.5 | 0.8 |
| 5-Nov-08 | +08:00 | 22.5 | 1.0 | 0.8 |
| 5-Nov-08 | +09:00 | 22.7 | 1.0 | 1.0 |
| 5-Nov-08 | +10:00 | 21.1 | 1.1 | 1.0 |
| 5-Nov-08 | +11:00 | 19.0 | 0.9 | 0.8 |
| 5-Nov-08 | +12:00 | 15.1 | 0.8 | 0.8 |
| 5-Nov-08 | +13:00 | 20.2 | 1.9 | 1.5 |
| 5-Nov-08 | +14:00 | 19.2 | 1.1 | 1.1 |
| 5-Nov-08 | +15:00 | 13.5 | 1.5 | 0.7 |
| 5-Nov-08 | +16:00 | 16.2 | 1.0 | 0.5 |
| 5-Nov-08 | +17:00 | 11.2 | 0.7 | 0.3 |
| 5-Nov-08 | +18:00 | 16.5 | 0.4 | 0.2 |
| 5-Nov-08 | +19:00 | 12.3 | 0.5 | 0.2 |
| 5-Nov-08 | +20:00 | 7.5  | 0.5 | 0.3 |
| 5-Nov-08 | +21:00 | 4.1  | 0.3 | 0.2 |
| 5-Nov-08 | +22:00 | 3.2  | 0.3 | 0.2 |
| 5-Nov-08 | +23:00 | 3.6  | 2.2 | 1.9 |
| 6-Nov-08 | +00:00 | 2.2  | 1.2 | 1.1 |
| 6-Nov-08 | +01:00 | 2.2  | 0.2 | 0.3 |
| 6-Nov-08 | +02:00 | 1.5  | 0.8 | 0.5 |
| 6-Nov-08 | +03:00 | 2.1  | 0.2 | 0.2 |
| 6-Nov-08 | +04:00 | 1.5  | 0.2 | 0.1 |
| 6-Nov-08 | +05:00 | 7.1  | 0.7 | 0.4 |
| 6-Nov-08 | +06:00 | 20.3 | 5.7 | 4.8 |
| 6-Nov-08 | +07:00 | 19.8 | 6.6 | 5.5 |
| 6-Nov-08 | +08:00 | 25.6 | 4.0 | 2.0 |
| 6-Nov-08 | +09:00 | 27.3 | 4.0 | 2.0 |
| 6-Nov-08 | +10:00 | 22.1 | 2.7 | 1.4 |
| 6-Nov-08 | +11:00 | 18.1 | 1.6 | 0.8 |
| 6-Nov-08 | +12:00 | 21.5 | 1.1 | 0.7 |
| 6-Nov-08 | +13:00 | 25.9 | 1.7 | 0.9 |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|          |        |      |     |     |
|----------|--------|------|-----|-----|
| 6-Nov-08 | +14:00 | 19.6 | 2.6 | 1.3 |
| 6-Nov-08 | +15:00 | 17.1 | 4.2 | 2.1 |
| 6-Nov-08 | +16:00 | 18.1 | 9.3 | 4.7 |
| 6-Nov-08 | +17:00 | 16.1 | 3.8 | 1.9 |
| 6-Nov-08 | +18:00 | 21.6 | 2.1 | 1.0 |
| 6-Nov-08 | +19:00 | 22.6 | 0.9 | 0.5 |
| 6-Nov-08 | +20:00 | 9.9  | 0.8 | 0.6 |
| 6-Nov-08 | +21:00 | 7.9  | 0.6 | 0.3 |
| 6-Nov-08 | +22:00 | 3.8  | 1.3 | 0.9 |
| 6-Nov-08 | +23:00 | 4.2  | 2.1 | 1.7 |
| 7-Nov-08 | +00:00 | 3.2  | 1.2 | 1.0 |
| 7-Nov-08 | +01:00 | 3.5  | 0.8 | 0.8 |
| 7-Nov-08 | +02:00 | 4.2  | 1.3 | 1.2 |
| 7-Nov-08 | +03:00 | 4.2  | 1.0 | 1.1 |
| 7-Nov-08 | +04:00 | 2.2  | 0.7 | 0.7 |
| 7-Nov-08 | +05:00 | 8.9  | 0.8 | 0.4 |
| 7-Nov-08 | +06:00 | 30.6 | 3.0 | 1.7 |
| 7-Nov-08 | +07:00 | 30.0 | 1.6 | 1.3 |
| 7-Nov-08 | +08:00 | 18.1 | 1.4 | 1.3 |
| 7-Nov-08 | +09:00 | 18.1 | 1.4 | 1.0 |
| 7-Nov-08 | +10:00 | 18.1 | 1.0 | 1.0 |
| 7-Nov-08 | +11:00 | 18.1 | 1.2 | 1.2 |
| 7-Nov-08 | +12:00 | 17.9 | 1.8 | 1.6 |
| 7-Nov-08 | +13:00 | 15.6 | 1.4 | 1.4 |
| 7-Nov-08 | +14:00 | 15.9 | 1.5 | 1.2 |
| 7-Nov-08 | +15:00 | 17.8 | 1.2 | 0.6 |
| 7-Nov-08 | +16:00 | 21.9 | 1.0 | 0.5 |
| 7-Nov-08 | +17:00 | 27.4 | 0.9 | 0.5 |
| 7-Nov-08 | +18:00 | 18.9 | 0.7 | 0.3 |
| 7-Nov-08 | +19:00 | 11.7 | 0.3 | 0.2 |
| 7-Nov-08 | +20:00 | 5.1  | 0.4 | 0.2 |
| 7-Nov-08 | +21:00 | 5.5  | 0.4 | 0.2 |
| 7-Nov-08 | +22:00 | 4.3  | 0.3 | 0.2 |
| 7-Nov-08 | +23:00 | 3.7  | 0.4 | 0.2 |
| 8-Nov-08 | +00:00 | 3.6  | 0.3 | 0.2 |
| 8-Nov-08 | +01:00 | 5.0  | 0.4 | 0.2 |
| 8-Nov-08 | +02:00 | 3.2  | 0.2 | 0.1 |
| 8-Nov-08 | +03:00 | 2.3  | 0.3 | 0.1 |
| 8-Nov-08 | +04:00 | 4.1  | 0.3 | 0.1 |
| 8-Nov-08 | +05:00 | 2.9  | 0.2 | 0.1 |
| 8-Nov-08 | +06:00 | 10.3 | 0.9 | 0.4 |
| 8-Nov-08 | +07:00 | 6.3  | 0.7 | 0.4 |
| 8-Nov-08 | +08:00 | 6.8  | 0.7 | 0.4 |
| 8-Nov-08 | +09:00 | 5.6  | 0.5 | 0.2 |
| 8-Nov-08 | +10:00 | 6.3  | 0.6 | 0.3 |
| 8-Nov-08 | +11:00 | 9.0  | 1.9 | 0.9 |
| 8-Nov-08 | +12:00 | 8.6  | 0.9 | 0.4 |



## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|           |        |      |     |     |
|-----------|--------|------|-----|-----|
| 8-Nov-08  | +13:00 | 7.1  | 0.8 | 0.4 |
| 8-Nov-08  | +14:00 | 7.2  | 0.9 | 0.4 |
| 8-Nov-08  | +15:00 | 8.0  | 7.2 | 6.1 |
| 8-Nov-08  | +16:00 | 4.3  | 0.4 | 0.2 |
| 8-Nov-08  | +17:00 | 5.0  | 0.6 | 0.3 |
| 8-Nov-08  | +18:00 | 4.3  | 1.5 | 0.8 |
| 8-Nov-08  | +19:00 | 8.1  | 0.9 | 0.4 |
| 8-Nov-08  | +20:00 | 2.1  | 0.2 | 0.1 |
| 8-Nov-08  | +21:00 | 4.6  | 0.6 | 0.3 |
| 8-Nov-08  | +22:00 | 6.5  | 0.5 | 0.3 |
| 8-Nov-08  | +23:00 | 4.1  | 0.5 | 0.2 |
| 9-Nov-08  | +00:00 | 3.0  | 0.4 | 0.2 |
| 9-Nov-08  | +01:00 | 4.6  | 0.6 | 0.3 |
| 9-Nov-08  | +02:00 | 2.2  | 0.3 | 0.1 |
| 9-Nov-08  | +03:00 | 2.2  | 0.3 | 0.1 |
| 9-Nov-08  | +04:00 | 1.9  | 0.2 | 0.1 |
| 9-Nov-08  | +05:00 | 2.2  | 0.4 | 0.2 |
| 9-Nov-08  | +06:00 | 4.0  | 0.4 | 0.2 |
| 9-Nov-08  | +07:00 | 5.1  | 0.5 | 0.3 |
| 9-Nov-08  | +08:00 | 5.8  | 0.4 | 0.2 |
| 9-Nov-08  | +09:00 | 6.8  | 0.5 | 0.2 |
| 9-Nov-08  | +10:00 | 7.1  | 0.4 | 0.2 |
| 9-Nov-08  | +11:00 | 7.1  | 0.6 | 0.3 |
| 9-Nov-08  | +12:00 | 7.2  | 0.6 | 0.3 |
| 9-Nov-08  | +13:00 | 8.0  | 0.7 | 0.4 |
| 9-Nov-08  | +14:00 | 5.8  | 0.6 | 0.3 |
| 9-Nov-08  | +15:00 | 3.1  | 0.4 | 0.2 |
| 9-Nov-08  | +16:00 | 4.8  | 0.6 | 0.3 |
| 9-Nov-08  | +17:00 | 4.9  | 1.9 | 0.9 |
| 9-Nov-08  | +18:00 | 6.4  | 0.7 | 0.4 |
| 9-Nov-08  | +19:00 | 3.8  | 0.4 | 0.2 |
| 9-Nov-08  | +20:00 | 3.6  | 0.4 | 0.2 |
| 9-Nov-08  | +21:00 | 4.1  | 0.3 | 0.2 |
| 9-Nov-08  | +22:00 | 3.0  | 0.4 | 0.2 |
| 9-Nov-08  | +23:00 | 2.1  | 0.3 | 0.2 |
| 10-Nov-08 | +00:00 | 1.5  | 0.2 | 0.2 |
| 10-Nov-08 | +01:00 | 1.5  | 0.6 | 0.6 |
| 10-Nov-08 | +02:00 | 1.5  | 0.6 | 0.6 |
| 10-Nov-08 | +03:00 | 0.8  | 0.1 | 0.0 |
| 10-Nov-08 | +04:00 | 1.5  | 0.2 | 0.1 |
| 10-Nov-08 | +05:00 | 10.9 | 1.2 | 0.6 |
| 10-Nov-08 | +06:00 | 24.4 | 1.7 | 0.8 |
| 10-Nov-08 | +07:00 | 21.2 | 1.3 | 0.6 |
| 10-Nov-08 | +08:00 | 20.7 | 0.9 | 0.5 |
| 10-Nov-08 | +09:00 | 21.5 | 1.0 | 0.5 |
| 10-Nov-08 | +10:00 | 26.5 | 2.6 | 1.3 |
| 10-Nov-08 | +11:00 | 28.1 | 2.7 | 1.3 |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|           |        |      |     |     |
|-----------|--------|------|-----|-----|
| 10-Nov-08 | +12:00 | 12.4 | 1.2 | 1.3 |
| 10-Nov-08 | +13:00 | 14.9 | 1.2 | 0.7 |
| 10-Nov-08 | +14:00 | 17.8 | 1.8 | 0.9 |
| 10-Nov-08 | +15:00 | 16.8 | 0.7 | 0.4 |
| 10-Nov-08 | +16:00 | 16.3 | 0.7 | 0.4 |
| 10-Nov-08 | +17:00 | 14.0 | 0.7 | 0.3 |
| 10-Nov-08 | +18:00 | 21.8 | 0.7 | 0.3 |
| 10-Nov-08 | +19:00 | 6.1  | 0.4 | 0.2 |
| 10-Nov-08 | +20:00 | 5.1  | 0.6 | 0.3 |
| 10-Nov-08 | +21:00 | 5.1  | 0.5 | 0.2 |
| 10-Nov-08 | +22:00 | 3.2  | 0.3 | 0.2 |
| 10-Nov-08 | +23:00 | 7.7  | 0.4 | 0.2 |
| 11-Nov-08 | +00:00 | 2.2  | 0.1 | 0.1 |
| 11-Nov-08 | +01:00 | 1.5  | 0.1 | 0.1 |
| 11-Nov-08 | +02:00 | 1.2  | 0.1 | 0.1 |
| 11-Nov-08 | +03:00 | 1.2  | 0.1 | 0.1 |
| 11-Nov-08 | +04:00 | 2.0  | 0.2 | 0.1 |
| 11-Nov-08 | +05:00 | 10.4 | 1.3 | 0.6 |
| 11-Nov-08 | +06:00 | 27.2 | 1.9 | 1.0 |
| 11-Nov-08 | +07:00 | 27.0 | 1.5 | 0.7 |
| 11-Nov-08 | +08:00 | 23.5 | 1.1 | 0.5 |
| 11-Nov-08 | +09:00 | 27.3 | 0.7 | 0.3 |
| 11-Nov-08 | +10:00 | 23.4 | 1.7 | 1.5 |
| 11-Nov-08 | +11:00 | 15.1 | 1.3 | 1.5 |
| 11-Nov-08 | +12:00 | 17.1 | 0.7 | 0.4 |
| 11-Nov-08 | +13:00 | 14.9 | 1.5 | 1.2 |
| 11-Nov-08 | +14:00 | 21.3 | 2.1 | 1.8 |
| 11-Nov-08 | +15:00 | 17.6 | 1.1 | 0.8 |
| 11-Nov-08 | +16:00 | 18.7 | 1.0 | 0.5 |
| 11-Nov-08 | +17:00 | 15.1 | 0.6 | 0.3 |
| 11-Nov-08 | +18:00 | 28.1 | 0.6 | 0.3 |
| 11-Nov-08 | +19:00 | 19.3 | 0.4 | 0.2 |
| 11-Nov-08 | +20:00 | 7.3  | 0.6 | 0.3 |
| 11-Nov-08 | +21:00 | 3.8  | 0.5 | 0.2 |
| 11-Nov-08 | +22:00 | 2.2  | 0.3 | 0.1 |
| 11-Nov-08 | +23:00 | 3.2  | 1.0 | 0.9 |
| 12-Nov-08 | +00:00 | 3.2  | 0.5 | 0.8 |
| 12-Nov-08 | +01:00 | 4.1  | 0.4 | 0.2 |
| 12-Nov-08 | +02:00 | 5.1  | 0.3 | 0.2 |
| 12-Nov-08 | +03:00 | 2.1  | 0.2 | 0.1 |
| 12-Nov-08 | +04:00 | 4.1  | 0.4 | 0.2 |
| 12-Nov-08 | +05:00 | 10.9 | 1.2 | 0.6 |
| 12-Nov-08 | +06:00 | 23.8 | 1.9 | 0.9 |
| 12-Nov-08 | +07:00 | 29.3 | 1.9 | 0.9 |
| 12-Nov-08 | +08:00 | 25.8 | 0.7 | 0.3 |
| 12-Nov-08 | +09:00 | 26.1 | 1.6 | 0.8 |
| 12-Nov-08 | +10:00 | 18.2 | 0.7 | 0.4 |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|           |        |      |      |      |
|-----------|--------|------|------|------|
| 12-Nov-08 | +11:00 | 13.1 | 0.6  | 0.3  |
| 12-Nov-08 | +12:00 | 17.2 | 0.9  | 0.4  |
| 12-Nov-08 | +13:00 | 18.1 | 0.6  | 0.3  |
| 12-Nov-08 | +14:00 | 25.0 | 0.7  | 0.4  |
| 12-Nov-08 | +15:00 | 17.0 | 0.8  | 0.4  |
| 12-Nov-08 | +16:00 | 17.5 | 0.8  | 0.4  |
| 12-Nov-08 | +17:00 | 21.0 | 3.6  | 1.8  |
| 12-Nov-08 | +18:00 | 26.0 | 0.6  | 0.3  |
| 12-Nov-08 | +19:00 | 17.1 | 1.6  | 0.8  |
| 12-Nov-08 | +20:00 | 6.8  | 0.5  | 0.2  |
| 12-Nov-08 | +21:00 | 3.6  | 0.4  | 0.2  |
| 12-Nov-08 | +22:00 | 6.0  | 0.7  | 0.4  |
| 12-Nov-08 | +23:00 | 5.8  | 1.3  | 1.1  |
| 13-Nov-08 | +00:00 | 1.5  | 1.1  | 0.9  |
| 13-Nov-08 | +01:00 | 2.2  | 0.3  | 0.1  |
| 13-Nov-08 | +02:00 | 2.1  | 0.2  | 0.1  |
| 13-Nov-08 | +03:00 | 2.2  | 0.2  | 0.1  |
| 13-Nov-08 | +04:00 | 3.2  | 0.3  | 0.2  |
| 13-Nov-08 | +05:00 | 13.8 | 1.4  | 0.7  |
| 13-Nov-08 | +06:00 | 23.9 | 2.0  | 1.0  |
| 13-Nov-08 | +07:00 | 23.0 | 5.4  | 2.7  |
| 13-Nov-08 | +08:00 | 56.2 | 20.4 | 10.2 |
| 13-Nov-08 | +09:00 | 24.0 | 1.1  | 0.5  |
| 13-Nov-08 | +10:00 | 23.1 | 0.7  | 0.4  |
| 13-Nov-08 | +11:00 | 16.8 | 0.8  | 0.4  |
| 13-Nov-08 | +12:00 | 18.9 | 0.7  | 0.3  |
| 13-Nov-08 | +13:00 | 15.9 | 1.3  | 0.7  |
| 13-Nov-08 | +14:00 | 18.2 | 1.6  | 0.8  |
| 13-Nov-08 | +15:00 | 15.1 | 1.0  | 0.5  |
| 13-Nov-08 | +16:00 | 16.8 | 0.8  | 0.4  |
| 13-Nov-08 | +17:00 | 21.0 | 0.7  | 0.3  |
| 13-Nov-08 | +18:00 | 23.5 | 0.5  | 0.3  |
| 13-Nov-08 | +19:00 | 21.1 | 0.6  | 0.3  |
| 13-Nov-08 | +20:00 | 5.3  | 0.7  | 0.3  |
| 13-Nov-08 | +21:00 | 4.1  | 0.7  | 0.3  |
| 13-Nov-08 | +22:00 | 2.4  | 0.8  | 0.4  |
| 13-Nov-08 | +23:00 | 4.4  | 1.4  | 0.8  |
| 14-Nov-08 | +00:00 | 3.5  | 0.2  | 0.1  |
| 14-Nov-08 | +01:00 | 4.2  | 0.3  | 0.1  |
| 14-Nov-08 | +02:00 | 4.2  | 0.2  | 0.1  |
| 14-Nov-08 | +03:00 | 4.2  | 0.2  | 0.1  |
| 14-Nov-08 | +04:00 | 4.2  | 0.3  | 0.1  |
| 14-Nov-08 | +05:00 | 8.7  | 0.8  | 0.4  |
| 14-Nov-08 | +06:00 | 30.2 | 1.9  | 0.9  |
| 14-Nov-08 | +07:00 | 30.9 | 1.4  | 0.7  |
| 14-Nov-08 | +08:00 | 22.9 | 1.1  | 0.6  |
| 14-Nov-08 | +09:00 | 28.1 | 1.3  | 0.6  |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|           |        |      |      |     |
|-----------|--------|------|------|-----|
| 14-Nov-08 | +10:00 | 21.8 | 0.9  | 0.5 |
| 14-Nov-08 | +11:00 | 20.0 | 0.6  | 0.3 |
| 14-Nov-08 | +12:00 | 18.7 | 0.8  | 0.4 |
| 14-Nov-08 | +13:00 | 26.0 | 0.8  | 0.4 |
| 14-Nov-08 | +14:00 | 13.0 | 0.9  | 0.4 |
| 14-Nov-08 | +15:00 | 14.9 | 0.7  | 0.4 |
| 14-Nov-08 | +16:00 | 16.4 | 4.7  | 3.1 |
| 14-Nov-08 | +17:00 | 14.0 | 4.5  | 2.3 |
| 14-Nov-08 | +18:00 | 16.2 | 10.0 | 7.3 |
| 14-Nov-08 | +19:00 | 21.8 | 0.7  | 0.4 |
| 14-Nov-08 | +20:00 | 9.2  | 0.8  | 0.4 |
| 14-Nov-08 | +21:00 | 4.3  | 0.6  | 0.4 |
| 14-Nov-08 | +22:00 | 5.1  | 0.6  | 0.5 |
| 14-Nov-08 | +23:00 | 7.2  | 0.5  | 0.2 |
| 15-Nov-08 | +00:00 | 3.6  | 0.4  | 0.2 |
| 15-Nov-08 | +01:00 | 2.2  | 0.6  | 0.3 |
| 15-Nov-08 | +02:00 | 3.2  | 0.3  | 0.2 |
| 15-Nov-08 | +03:00 | 1.6  | 0.2  | 0.1 |
| 15-Nov-08 | +04:00 | 3.1  | 0.3  | 0.2 |
| 15-Nov-08 | +05:00 | 7.1  | 0.6  | 0.3 |
| 15-Nov-08 | +06:00 | 10.9 | 0.7  | 0.4 |
| 15-Nov-08 | +07:00 | 10.0 | 0.6  | 0.3 |
| 15-Nov-08 | +08:00 | 11.8 | 0.9  | 0.4 |
| 15-Nov-08 | +09:00 | 11.2 | 0.8  | 0.4 |
| 15-Nov-08 | +10:00 | 8.0  | 0.6  | 0.3 |
| 15-Nov-08 | +11:00 | 6.1  | 0.5  | 0.3 |
| 15-Nov-08 | +12:00 | 6.8  | 0.9  | 0.4 |
| 15-Nov-08 | +13:00 | 9.7  | 1.0  | 0.6 |
| 15-Nov-08 | +14:00 | 3.7  | 0.4  | 0.2 |
| 15-Nov-08 | +15:00 | 7.2  | 0.9  | 0.5 |
| 15-Nov-08 | +16:00 | 4.2  | 0.6  | 0.3 |
| 15-Nov-08 | +17:00 | 5.6  | 0.7  | 0.4 |
| 15-Nov-08 | +18:00 | 6.0  | 0.8  | 0.4 |
| 15-Nov-08 | +19:00 | 6.2  | 1.1  | 0.8 |
| 15-Nov-08 | +20:00 | 3.5  | 0.3  | 0.2 |
| 15-Nov-08 | +21:00 | 10.3 | 0.8  | 0.4 |
| 15-Nov-08 | +22:00 | 11.2 | 0.5  | 0.2 |
| 15-Nov-08 | +23:00 | 9.2  | 1.0  | 0.6 |
| 16-Nov-08 | +00:00 | 7.2  | 0.3  | 0.1 |
| 16-Nov-08 | +01:00 | 3.2  | 0.4  | 0.2 |
| 16-Nov-08 | +02:00 | 2.2  | 0.2  | 0.1 |
| 16-Nov-08 | +03:00 | 2.5  | 0.3  | 0.1 |
| 16-Nov-08 | +04:00 | 3.2  | 0.2  | 0.1 |
| 16-Nov-08 | +05:00 | 4.1  | 0.3  | 0.2 |
| 16-Nov-08 | +06:00 | 4.1  | 0.4  | 0.2 |
| 16-Nov-08 | +07:00 | 7.1  | 0.4  | 0.2 |
| 16-Nov-08 | +08:00 | 10.7 | 0.6  | 0.3 |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|           |        |      |     |     |
|-----------|--------|------|-----|-----|
| 16-Nov-08 | +09:00 | 9.2  | 0.5 | 0.3 |
| 16-Nov-08 | +10:00 | 8.1  | 0.6 | 0.3 |
| 16-Nov-08 | +11:00 | 7.2  | 0.6 | 0.3 |
| 16-Nov-08 | +12:00 | 5.2  | 0.6 | 0.3 |
| 16-Nov-08 | +13:00 | 10.8 | 1.2 | 0.6 |
| 16-Nov-08 | +14:00 | 6.2  | 0.6 | 0.3 |
| 16-Nov-08 | +15:00 | 5.6  | 0.8 | 0.4 |
| 16-Nov-08 | +16:00 | 2.9  | 0.4 | 0.2 |
| 16-Nov-08 | +17:00 | 6.1  | 0.7 | 0.3 |
| 16-Nov-08 | +18:00 | 4.0  | 0.5 | 0.2 |
| 16-Nov-08 | +19:00 | 4.1  | 0.5 | 0.3 |
| 16-Nov-08 | +20:00 | 5.8  | 0.3 | 0.2 |
| 16-Nov-08 | +21:00 | 4.1  | 0.3 | 0.1 |
| 16-Nov-08 | +22:00 | 3.1  | 0.6 | 0.3 |
| 16-Nov-08 | +23:00 | 3.5  | 0.4 | 0.2 |
| 17-Nov-08 | +00:00 | 3.8  | 0.4 | 0.2 |
| 17-Nov-08 | +01:00 | 4.2  | 0.2 | 0.1 |
| 17-Nov-08 | +02:00 | 4.2  | 0.2 | 0.1 |
| 17-Nov-08 | +03:00 | 3.9  | 0.1 | 0.1 |
| 17-Nov-08 | +04:00 | 6.2  | 0.5 | 0.2 |
| 17-Nov-08 | +05:00 | 9.9  | 0.9 | 0.5 |
| 17-Nov-08 | +06:00 | 21.7 | 1.8 | 0.9 |
| 17-Nov-08 | +07:00 | 17.7 | 1.4 | 0.7 |
| 17-Nov-08 | +08:00 | 18.1 | 3.5 | 2.5 |
| 17-Nov-08 | +09:00 | 24.3 | 0.9 | 1.2 |
| 17-Nov-08 | +10:00 | 20.0 | 1.0 | 0.5 |
| 17-Nov-08 | +11:00 | 12.2 | 0.8 | 0.4 |
| 17-Nov-08 | +12:00 | 13.4 | 1.0 | 1.0 |
| 17-Nov-08 | +13:00 | 11.2 | 0.6 | 0.3 |
| 17-Nov-08 | +14:00 | 25.4 | 1.2 | 0.6 |
| 17-Nov-08 | +15:00 | 24.4 | 2.5 | 1.6 |
| 17-Nov-08 | +16:00 | 14.6 | 0.9 | 0.5 |
| 17-Nov-08 | +17:00 | 14.5 | 0.7 | 0.3 |
| 17-Nov-08 | +18:00 | 18.1 | 0.6 | 0.3 |
| 17-Nov-08 | +19:00 | 11.7 | 0.3 | 0.2 |
| 17-Nov-08 | +20:00 | 3.8  | 0.6 | 0.4 |
| 17-Nov-08 | +21:00 | 1.8  | 0.6 | 0.4 |
| 17-Nov-08 | +22:00 | 3.7  | 0.4 | 0.2 |
| 17-Nov-08 | +23:00 | 2.2  | 0.2 | 0.1 |
| 18-Nov-08 | +00:00 | 1.5  | 0.2 | 0.1 |
| 18-Nov-08 | +01:00 | 1.4  | 0.2 | 0.1 |
| 18-Nov-08 | +02:00 | 2.0  | 0.3 | 0.2 |
| 18-Nov-08 | +03:00 | 1.5  | 0.2 | 0.1 |
| 18-Nov-08 | +04:00 | 5.0  | 0.6 | 0.3 |
| 18-Nov-08 | +05:00 | 8.1  | 1.1 | 0.5 |
| 18-Nov-08 | +06:00 | 20.8 | 2.1 | 1.0 |
| 18-Nov-08 | +07:00 | 17.0 | 2.1 | 1.1 |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|           |        |      |     |     |
|-----------|--------|------|-----|-----|
| 18-Nov-08 | +08:00 | 24.1 | 1.4 | 0.7 |
| 18-Nov-08 | +09:00 | 24.0 | 2.4 | 1.3 |
| 18-Nov-08 | +10:00 | 20.5 | 0.6 | 0.3 |
| 18-Nov-08 | +11:00 | 13.5 | 1.3 | 0.7 |
| 18-Nov-08 | +12:00 | 14.2 | 1.4 | 0.7 |
| 18-Nov-08 | +13:00 | 21.5 | 0.6 | 0.3 |
| 18-Nov-08 | +14:00 | 25.0 | 1.8 | 0.9 |
| 18-Nov-08 | +15:00 | 18.8 | 1.7 | 0.8 |
| 18-Nov-08 | +16:00 | 14.8 | 1.0 | 0.5 |
| 18-Nov-08 | +17:00 | 16.2 | 1.0 | 0.5 |
| 18-Nov-08 | +18:00 | 25.1 | 0.6 | 0.3 |
| 18-Nov-08 | +19:00 | 13.9 | 0.5 | 0.2 |
| 18-Nov-08 | +20:00 | 3.8  | 0.5 | 0.2 |
| 18-Nov-08 | +21:00 | 4.1  | 0.3 | 0.2 |
| 18-Nov-08 | +22:00 | 3.4  | 0.4 | 0.2 |
| 18-Nov-08 | +23:00 | 2.5  | 0.4 | 0.2 |
| 19-Nov-08 | +00:00 | 1.4  | 0.2 | 0.1 |
| 19-Nov-08 | +01:00 | 1.6  | 0.2 | 0.1 |
| 19-Nov-08 | +02:00 | 1.6  | 0.2 | 0.1 |
| 19-Nov-08 | +03:00 | 1.5  | 0.2 | 0.1 |
| 19-Nov-08 | +04:00 | 1.6  | 0.7 | 0.5 |
| 19-Nov-08 | +05:00 | 9.3  | 1.1 | 0.5 |
| 19-Nov-08 | +06:00 | 26.4 | 2.3 | 1.1 |
| 19-Nov-08 | +07:00 | 28.2 | 1.6 | 0.8 |
| 19-Nov-08 | +08:00 | 18.1 | 0.8 | 0.4 |
| 19-Nov-08 | +09:00 | 23.4 | 1.1 | 0.5 |
| 19-Nov-08 | +10:00 | 12.7 | 0.8 | 0.4 |
| 19-Nov-08 | +11:00 | 12.1 | 1.0 | 0.5 |
| 19-Nov-08 | +12:00 | 10.8 | 1.0 | 0.6 |
| 19-Nov-08 | +13:00 | 15.3 | 0.6 | 0.3 |
| 19-Nov-08 | +14:00 | 13.3 | 0.9 | 0.4 |
| 19-Nov-08 | +15:00 | 17.9 | 0.8 | 0.4 |
| 19-Nov-08 | +16:00 | 16.5 | 1.4 | 0.7 |
| 19-Nov-08 | +17:00 | 25.2 | 0.6 | 0.3 |
| 19-Nov-08 | +18:00 | 20.2 | 0.7 | 0.3 |
| 19-Nov-08 | +19:00 | 13.1 | 0.6 | 0.3 |
| 19-Nov-08 | +20:00 | 5.7  | 0.5 | 0.2 |
| 19-Nov-08 | +21:00 | 7.0  | 0.5 | 0.3 |
| 19-Nov-08 | +22:00 | 3.7  | 0.4 | 0.2 |
| 19-Nov-08 | +23:00 | 2.4  | 0.3 | 0.1 |
| 20-Nov-08 | +00:00 | 2.4  | 0.8 | 0.8 |
| 20-Nov-08 | +01:00 | 2.4  | 0.9 | 0.8 |
| 20-Nov-08 | +02:00 | 2.1  | 0.2 | 0.1 |
| 20-Nov-08 | +03:00 | 1.5  | 0.2 | 0.1 |
| 20-Nov-08 | +04:00 | 1.3  | 0.3 | 0.1 |
| 20-Nov-08 | +05:00 | 7.1  | 0.7 | 0.4 |
| 20-Nov-08 | +06:00 | 21.5 | 1.7 | 0.9 |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|           |        |      |      |      |
|-----------|--------|------|------|------|
| 20-Nov-08 | +07:00 | 30.7 | 2.0  | 1.0  |
| 20-Nov-08 | +08:00 | 20.7 | 1.8  | 1.5  |
| 20-Nov-08 | +09:00 | 22.1 | 1.5  | 0.8  |
| 20-Nov-08 | +10:00 | 25.4 | 12.0 | 10.5 |
| 20-Nov-08 | +11:00 | 15.6 | 7.1  | 9.3  |
| 20-Nov-08 | +12:00 | 11.9 | 0.9  | 0.5  |
| 20-Nov-08 | +13:00 | 11.1 | 0.5  | 0.2  |
| 20-Nov-08 | +14:00 | 17.7 | 1.0  | 0.5  |
| 20-Nov-08 | +15:00 | 15.2 | 0.8  | 0.4  |
| 20-Nov-08 | +16:00 | 14.8 | 0.8  | 0.4  |
| 20-Nov-08 | +17:00 | 20.2 | 0.7  | 0.4  |
| 20-Nov-08 | +18:00 | 23.6 | 0.6  | 0.3  |
| 20-Nov-08 | +19:00 | 13.4 | 0.5  | 0.2  |
| 20-Nov-08 | +20:00 | 3.9  | 0.4  | 0.2  |
| 20-Nov-08 | +21:00 | 10.9 | 0.9  | 0.5  |
| 20-Nov-08 | +22:00 | 4.6  | 0.3  | 0.2  |
| 20-Nov-08 | +23:00 | 2.2  | 0.3  | 0.1  |
| 21-Nov-08 | +00:00 | 3.2  | 0.3  | 0.2  |
| 21-Nov-08 | +01:00 | 3.2  | 0.2  | 0.1  |
| 21-Nov-08 | +02:00 | 4.2  | 0.2  | 0.1  |
| 21-Nov-08 | +03:00 | 3.8  | 0.3  | 0.1  |
| 21-Nov-08 | +04:00 | 3.1  | 0.3  | 0.2  |
| 21-Nov-08 | +05:00 | 7.3  | 0.7  | 0.3  |
| 21-Nov-08 | +06:00 | 24.0 | 2.0  | 1.0  |
| 21-Nov-08 | +07:00 | 22.5 | 1.5  | 0.8  |
| 21-Nov-08 | +08:00 | 26.2 | 1.5  | 0.7  |
| 21-Nov-08 | +09:00 | 19.4 | 1.2  | 0.6  |
| 21-Nov-08 | +10:00 | 18.0 | 0.9  | 0.5  |
| 21-Nov-08 | +11:00 | 13.1 | 1.0  | 0.5  |
| 21-Nov-08 | +12:00 | 13.1 | 1.9  | 0.9  |
| 21-Nov-08 | +13:00 | 16.0 | 1.6  | 0.8  |
| 21-Nov-08 | +14:00 | 19.5 | 1.4  | 0.7  |
| 21-Nov-08 | +15:00 | 15.7 | 2.4  | 1.2  |
| 21-Nov-08 | +16:00 | 17.6 | 3.4  | 2.2  |
| 21-Nov-08 | +17:00 | 17.6 | 1.9  | 0.9  |
| 21-Nov-08 | +18:00 | 30.8 | 0.6  | 0.3  |
| 21-Nov-08 | +19:00 | 18.1 | 0.5  | 0.2  |
| 21-Nov-08 | +20:00 | 3.6  | 0.4  | 0.2  |
| 21-Nov-08 | +21:00 | 7.2  | 0.6  | 0.3  |
| 21-Nov-08 | +22:00 | 7.5  | 0.6  | 0.3  |
| 21-Nov-08 | +23:00 | 2.4  | 0.3  | 0.2  |
| 22-Nov-08 | +00:00 | 3.2  | 0.4  | 0.2  |
| 22-Nov-08 | +01:00 | 2.5  | 0.3  | 0.1  |
| 22-Nov-08 | +02:00 | 2.6  | 0.3  | 0.2  |
| 22-Nov-08 | +03:00 | 2.3  | 0.3  | 0.2  |
| 22-Nov-08 | +04:00 | 2.9  | 1.1  | 0.7  |
| 22-Nov-08 | +05:00 | 6.3  | 0.6  | 0.3  |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|           |        |      |     |     |
|-----------|--------|------|-----|-----|
| 22-Nov-08 | +06:00 | 6.8  | 0.5 | 0.2 |
| 22-Nov-08 | +07:00 | 5.9  | 0.4 | 0.2 |
| 22-Nov-08 | +08:00 | 7.0  | 0.5 | 0.3 |
| 22-Nov-08 | +09:00 | 7.1  | 0.7 | 0.4 |
| 22-Nov-08 | +10:00 | 5.4  | 0.6 | 0.3 |
| 22-Nov-08 | +11:00 | 4.1  | 0.5 | 0.2 |
| 22-Nov-08 | +12:00 | 3.3  | 0.5 | 0.2 |
| 22-Nov-08 | +13:00 | 4.2  | 0.6 | 0.3 |
| 22-Nov-08 | +14:00 | 4.7  | 0.6 | 0.3 |
| 22-Nov-08 | +15:00 | 4.7  | 0.6 | 0.3 |
| 22-Nov-08 | +16:00 | 4.0  | 0.4 | 0.2 |
| 22-Nov-08 | +17:00 | 7.3  | 0.6 | 0.3 |
| 22-Nov-08 | +18:00 | 13.0 | 0.9 | 0.4 |
| 22-Nov-08 | +19:00 | 8.5  | 0.7 | 0.4 |
| 22-Nov-08 | +20:00 | 2.5  | 0.3 | 0.1 |
| 22-Nov-08 | +21:00 | 3.1  | 0.3 | 0.2 |
| 22-Nov-08 | +22:00 | 9.5  | 0.8 | 0.4 |
| 22-Nov-08 | +23:00 | 6.5  | 0.6 | 0.3 |
| 23-Nov-08 | +00:00 | 3.2  | 0.3 | 0.2 |
| 23-Nov-08 | +01:00 | 4.2  | 0.3 | 0.2 |
| 23-Nov-08 | +02:00 | 5.1  | 0.4 | 0.2 |
| 23-Nov-08 | +03:00 | 4.2  | 0.4 | 0.2 |
| 23-Nov-08 | +04:00 | 3.4  | 0.3 | 0.2 |
| 23-Nov-08 | +05:00 | 2.2  | 0.2 | 0.1 |
| 23-Nov-08 | +06:00 | 1.9  | 0.2 | 0.1 |
| 23-Nov-08 | +07:00 | 3.1  | 1.0 | 0.5 |
| 23-Nov-08 | +08:00 | 3.1  | 0.3 | 0.2 |
| 23-Nov-08 | +09:00 | 5.1  | 0.6 | 0.3 |
| 23-Nov-08 | +10:00 | 5.1  | 0.6 | 0.3 |
| 23-Nov-08 | +11:00 | 7.0  | 0.8 | 0.4 |
| 23-Nov-08 | +12:00 | 8.0  | 0.8 | 0.4 |
| 23-Nov-08 | +13:00 | 5.2  | 0.7 | 0.3 |
| 23-Nov-08 | +14:00 | 6.1  | 0.6 | 0.3 |
| 23-Nov-08 | +15:00 | 6.9  | 0.7 | 0.3 |
| 23-Nov-08 | +16:00 | 3.0  | 0.4 | 0.2 |
| 23-Nov-08 | +17:00 | 2.9  | 0.3 | 0.2 |
| 23-Nov-08 | +18:00 | 3.2  | 0.5 | 0.3 |
| 23-Nov-08 | +19:00 | 2.5  | 1.4 | 0.9 |
| 23-Nov-08 | +20:00 | 6.1  | 1.7 | 1.5 |
| 23-Nov-08 | +21:00 | 9.1  | 0.7 | 0.3 |
| 23-Nov-08 | +22:00 | 3.6  | 0.3 | 0.2 |
| 23-Nov-08 | +23:00 | 2.2  | 0.2 | 0.1 |
| 24-Nov-08 | +00:00 | 2.2  | 0.2 | 0.1 |
| 24-Nov-08 | +01:00 | 3.2  | 0.3 | 0.1 |
| 24-Nov-08 | +02:00 | 2.6  | 0.2 | 0.1 |
| 24-Nov-08 | +03:00 | 2.2  | 0.2 | 0.1 |
| 24-Nov-08 | +04:00 | 1.6  | 0.3 | 0.1 |



## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|           |        |      |     |     |
|-----------|--------|------|-----|-----|
| 24-Nov-08 | +05:00 | 13.3 | 1.2 | 0.6 |
| 24-Nov-08 | +06:00 | 20.1 | 2.0 | 1.0 |
| 24-Nov-08 | +07:00 | 17.1 | 1.5 | 0.7 |
| 24-Nov-08 | +08:00 | 19.0 | 0.7 | 0.4 |
| 24-Nov-08 | +09:00 | 23.2 | 0.7 | 0.4 |
| 24-Nov-08 | +10:00 | 9.9  | 0.7 | 0.4 |
| 24-Nov-08 | +11:00 | 11.8 | 0.5 | 0.3 |
| 24-Nov-08 | +12:00 | 10.2 | 0.4 | 0.2 |
| 24-Nov-08 | +13:00 | 10.5 | 0.7 | 0.5 |
| 24-Nov-08 | +14:00 | 16.7 | 2.4 | 1.2 |
| 24-Nov-08 | +15:00 | 19.0 | 1.0 | 0.5 |
| 24-Nov-08 | +16:00 | 16.8 | 0.8 | 0.4 |
| 24-Nov-08 | +17:00 | 15.9 | 0.6 | 0.3 |
| 24-Nov-08 | +18:00 | 18.4 | 0.7 | 0.3 |
| 24-Nov-08 | +19:00 | 5.1  | 0.5 | 0.2 |
| 24-Nov-08 | +20:00 | 4.4  | 0.5 | 0.3 |
| 24-Nov-08 | +21:00 | 4.9  | 0.4 | 0.2 |
| 24-Nov-08 | +22:00 | 5.0  | 0.3 | 0.2 |
| 24-Nov-08 | +23:00 | 5.2  | 0.3 | 0.1 |
| 25-Nov-08 | +00:00 | 5.1  | 0.3 | 0.1 |
| 25-Nov-08 | +01:00 | 5.1  | 0.2 | 0.1 |
| 25-Nov-08 | +02:00 | 6.1  | 0.3 | 0.1 |
| 25-Nov-08 | +03:00 | 4.4  | 0.1 | 0.1 |
| 25-Nov-08 | +04:00 | 5.1  | 0.5 | 0.3 |
| 25-Nov-08 | +05:00 | 12.1 | 1.1 | 0.6 |
| 25-Nov-08 | +06:00 | 30.1 | 2.0 | 1.0 |
| 25-Nov-08 | +07:00 | 29.2 | 2.2 | 1.1 |
| 25-Nov-08 | +08:00 | 23.1 | 1.0 | 0.5 |
| 25-Nov-08 | +09:00 | 19.2 | 0.8 | 0.4 |
| 25-Nov-08 | +10:00 | 13.0 | 1.2 | 0.6 |
| 25-Nov-08 | +11:00 | 11.5 | 0.7 | 0.4 |
| 25-Nov-08 | +12:00 | 15.1 | 0.7 | 0.3 |
| 25-Nov-08 | +13:00 | 11.7 | 0.4 | 0.2 |
| 25-Nov-08 | +14:00 | 17.1 | 1.5 | 0.8 |
| 25-Nov-08 | +15:00 | 29.1 | 2.8 | 1.4 |
| 25-Nov-08 | +16:00 | 18.2 | 0.9 | 0.4 |
| 25-Nov-08 | +17:00 | 17.6 | 0.8 | 0.4 |
| 25-Nov-08 | +18:00 | 23.0 | 0.5 | 0.3 |
| 25-Nov-08 | +19:00 | 9.1  | 0.4 | 0.2 |
| 25-Nov-08 | +20:00 | 3.3  | 0.4 | 0.2 |
| 25-Nov-08 | +21:00 | 6.6  | 0.4 | 0.2 |
| 25-Nov-08 | +22:00 | 7.5  | 0.7 | 0.3 |
| 25-Nov-08 | +23:00 | 4.9  | 1.4 | 0.8 |
| 26-Nov-08 | +00:00 | 5.1  | 0.7 | 0.9 |
| 26-Nov-08 | +01:00 | 3.3  | 0.2 | 0.1 |
| 26-Nov-08 | +02:00 | 3.3  | 0.2 | 0.1 |
| 26-Nov-08 | +03:00 | 2.9  | 0.2 | 0.1 |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|           |        |      |     |     |
|-----------|--------|------|-----|-----|
| 26-Nov-08 | +04:00 | 5.1  | 0.7 | 0.3 |
| 26-Nov-08 | +05:00 | 10.3 | 1.0 | 0.5 |
| 26-Nov-08 | +06:00 | 31.9 | 2.4 | 1.2 |
| 26-Nov-08 | +07:00 | 34.2 | 2.1 | 1.0 |
| 26-Nov-08 | +08:00 | 23.2 | 1.0 | 0.5 |
| 26-Nov-08 | +09:00 | 26.5 | 1.1 | 0.5 |
| 26-Nov-08 | +10:00 | 11.8 | 1.7 | 0.8 |
| 26-Nov-08 | +11:00 | 13.1 | 0.8 | 0.4 |
| 26-Nov-08 | +12:00 | 14.2 | 1.8 | 1.0 |
| 26-Nov-08 | +13:00 | 16.1 | 1.9 | 1.6 |
| 26-Nov-08 | +14:00 | 15.3 | 1.8 | 1.6 |
| 26-Nov-08 | +15:00 | 18.3 | 2.7 | 1.3 |
| 26-Nov-08 | +16:00 | 16.9 | 1.2 | 0.6 |
| 26-Nov-08 | +17:00 | 15.0 | 0.6 | 0.3 |
| 26-Nov-08 | +18:00 | 22.7 | 0.5 | 0.3 |
| 26-Nov-08 | +19:00 | 7.1  | 0.6 | 0.3 |
| 26-Nov-08 | +20:00 | 5.1  | 0.5 | 0.3 |
| 26-Nov-08 | +21:00 | 6.7  | 0.6 | 0.3 |
| 26-Nov-08 | +22:00 | 10.0 | 0.7 | 0.3 |
| 26-Nov-08 | +23:00 | 2.5  | 0.3 | 0.1 |
| 27-Nov-08 | +00:00 | 1.5  | 0.1 | 0.1 |
| 27-Nov-08 | +01:00 | 2.2  | 0.2 | 0.1 |
| 27-Nov-08 | +02:00 | 1.7  | 0.2 | 0.1 |
| 27-Nov-08 | +03:00 | 1.6  | 0.1 | 0.1 |
| 27-Nov-08 | +04:00 | 2.2  | 0.3 | 0.1 |
| 27-Nov-08 | +05:00 | 12.0 | 1.1 | 0.6 |
| 27-Nov-08 | +06:00 | 30.3 | 1.9 | 1.0 |
| 27-Nov-08 | +07:00 | 20.6 | 1.3 | 0.9 |
| 27-Nov-08 | +08:00 | 21.1 | 1.0 | 0.8 |
| 27-Nov-08 | +09:00 | 24.9 | 1.4 | 0.7 |
| 27-Nov-08 | +10:00 | 13.5 | 0.9 | 0.9 |
| 27-Nov-08 | +11:00 | 12.0 | 1.1 | 1.0 |
| 27-Nov-08 | +12:00 | 15.1 | 0.9 | 0.4 |
| 27-Nov-08 | +13:00 | 20.4 | 1.1 | 0.6 |
| 27-Nov-08 | +14:00 | 23.8 | 1.1 | 0.5 |
| 27-Nov-08 | +15:00 | 19.5 | 1.1 | 0.5 |
| 27-Nov-08 | +16:00 | 16.6 | 0.7 | 0.4 |
| 27-Nov-08 | +17:00 | 19.9 | 0.7 | 0.4 |
| 27-Nov-08 | +18:00 | 23.0 | 0.6 | 0.3 |
| 27-Nov-08 | +19:00 | 12.6 | 0.4 | 0.2 |
| 27-Nov-08 | +20:00 | 4.3  | 0.4 | 0.2 |
| 27-Nov-08 | +21:00 | 8.6  | 0.7 | 0.3 |
| 27-Nov-08 | +22:00 | 5.3  | 1.9 | 1.3 |
| 27-Nov-08 | +23:00 | 2.5  | 2.1 | 1.6 |
| 28-Nov-08 | +00:00 | 4.0  | 0.3 | 0.1 |
| 28-Nov-08 | +01:00 | 4.2  | 0.3 | 0.2 |
| 28-Nov-08 | +02:00 | 3.2  | 0.3 | 0.2 |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|           |        |      |      |      |
|-----------|--------|------|------|------|
| 28-Nov-08 | +03:00 | 3.7  | 0.2  | 0.1  |
| 28-Nov-08 | +04:00 | 2.7  | 0.3  | 0.2  |
| 28-Nov-08 | +05:00 | 7.8  | 0.8  | 0.4  |
| 28-Nov-08 | +06:00 | 30.8 | 2.1  | 1.0  |
| 28-Nov-08 | +07:00 | 30.8 | 1.9  | 0.9  |
| 28-Nov-08 | +08:00 | 24.0 | 0.9  | 0.5  |
| 28-Nov-08 | +09:00 | 21.0 | 0.6  | 0.3  |
| 28-Nov-08 | +10:00 | 13.5 | 0.9  | 0.4  |
| 28-Nov-08 | +11:00 | 13.7 | 0.7  | 0.4  |
| 28-Nov-08 | +12:00 | 11.6 | 1.2  | 0.6  |
| 28-Nov-08 | +13:00 | 20.5 | 1.5  | 0.8  |
| 28-Nov-08 | +14:00 | 24.6 | 0.8  | 0.4  |
| 28-Nov-08 | +15:00 | 16.5 | 0.9  | 0.4  |
| 28-Nov-08 | +16:00 | 19.5 | 3.1  | 1.6  |
| 28-Nov-08 | +17:00 | 21.6 | 1.6  | 0.8  |
| 28-Nov-08 | +18:00 | 47.7 | 23.3 | 12.2 |
| 28-Nov-08 | +19:00 | 8.4  | 0.6  | 1.4  |
| 28-Nov-08 | +20:00 | 2.9  | 0.3  | 0.2  |
| 28-Nov-08 | +21:00 | 7.9  | 0.6  | 0.3  |
| 28-Nov-08 | +22:00 | 4.5  | 0.3  | 0.2  |
| 28-Nov-08 | +23:00 | 3.5  | 0.5  | 0.3  |
| 29-Nov-08 | +00:00 | 2.2  | 0.2  | 0.1  |
| 29-Nov-08 | +01:00 | 2.3  | 0.3  | 0.2  |
| 29-Nov-08 | +02:00 | 2.3  | 0.3  | 0.1  |
| 29-Nov-08 | +03:00 | 2.5  | 0.3  | 0.2  |
| 29-Nov-08 | +04:00 | 2.1  | 0.3  | 0.1  |
| 29-Nov-08 | +05:00 | 4.1  | 0.5  | 0.2  |
| 29-Nov-08 | +06:00 | 10.4 | 1.0  | 0.5  |
| 29-Nov-08 | +07:00 | 7.7  | 0.6  | 0.3  |
| 29-Nov-08 | +08:00 | 7.1  | 0.6  | 0.3  |
| 29-Nov-08 | +09:00 | 7.9  | 1.3  | 0.7  |
| 29-Nov-08 | +10:00 | 7.0  | 1.9  | 1.2  |
| 29-Nov-08 | +11:00 | 7.9  | 1.3  | 0.9  |
| 29-Nov-08 | +12:00 | 6.3  | 1.0  | 0.8  |
| 29-Nov-08 | +13:00 | 4.0  | 0.5  | 0.2  |
| 29-Nov-08 | +14:00 | 3.6  | 0.4  | 0.2  |
| 29-Nov-08 | +15:00 | 4.4  | 0.5  | 0.3  |
| 29-Nov-08 | +16:00 | 3.7  | 0.5  | 0.3  |
| 29-Nov-08 | +17:00 | 7.3  | 0.8  | 0.4  |
| 29-Nov-08 | +18:00 | 8.3  | 0.9  | 0.5  |
| 29-Nov-08 | +19:00 | 5.6  | 0.6  | 0.3  |
| 29-Nov-08 | +20:00 | 9.7  | 1.4  | 0.7  |
| 29-Nov-08 | +21:00 | 9.6  | 0.8  | 0.4  |
| 29-Nov-08 | +22:00 | 8.5  | 1.1  | 0.5  |
| 29-Nov-08 | +23:00 | 7.9  | 0.9  | 0.4  |
| 30-Nov-08 | +00:00 | 2.5  | 0.3  | 0.1  |
| 30-Nov-08 | +01:00 | 4.1  | 0.4  | 0.2  |


## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

|           |        |      |     |     |
|-----------|--------|------|-----|-----|
| 30-Nov-08 | +02:00 | 4.2  | 0.4 | 0.2 |
| 30-Nov-08 | +03:00 | 4.1  | 0.4 | 0.2 |
| 30-Nov-08 | +04:00 | 4.1  | 0.4 | 0.2 |
| 30-Nov-08 | +05:00 | 2.1  | 0.2 | 0.1 |
| 30-Nov-08 | +06:00 | 2.6  | 0.3 | 0.2 |
| 30-Nov-08 | +07:00 | 2.3  | 0.3 | 0.1 |
| 30-Nov-08 | +08:00 | 6.2  | 0.4 | 0.2 |
| 30-Nov-08 | +09:00 | 7.0  | 0.5 | 0.3 |
| 30-Nov-08 | +10:00 | 8.1  | 0.6 | 0.3 |
| 30-Nov-08 | +11:00 | 9.4  | 0.7 | 0.4 |
| 30-Nov-08 | +12:00 | 14.3 | 0.7 | 0.4 |
| 30-Nov-08 | +13:00 | 6.1  | 0.4 | 0.2 |
| 30-Nov-08 | +14:00 | 7.6  | 0.9 | 0.4 |
| 30-Nov-08 | +15:00 | 6.1  | 0.7 | 0.4 |
| 30-Nov-08 | +16:00 | 6.2  | 0.5 | 0.2 |
| 30-Nov-08 | +17:00 | 7.9  | 0.9 | 0.5 |
| 30-Nov-08 | +18:00 | 5.9  | 0.6 | 0.3 |
| 30-Nov-08 | +19:00 | 6.8  | 0.7 | 0.4 |
| 30-Nov-08 | +20:00 | 3.2  | 0.4 | 0.2 |
| 30-Nov-08 | +21:00 | 6.5  | 0.6 | 0.3 |
| 30-Nov-08 | +22:00 | 3.2  | 0.3 | 0.2 |
| 30-Nov-08 | +23:00 | 4.4  | 0.4 | 0.2 |

## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017



## IN TUNNEL AIR QUALITY MONITORING FOR NOVEMBER 2008

DOCUMENT No: TMF-2035-EV-0017

### 5.2. Three Monthly Trend

Figure 2 below presents a plot illustrating the trend in CO levels since the 1<sup>st</sup> June, 2008.

